

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



This Safety Data Sheet (SDS) is provided as a courtesy to assist with proper use and safe handling. Applicable consumer product use and safety information is provided on the product label and is included for easy reference in Section 16 of this SDS.


## Section 1: Identification of Product and Company







Product Name	CellarGuard Mouldclean Plus
Product Code	MMBM
Synonyms	None
Product Use	Rapid action exterior moss and mould killer
Restrictions on Use	Follow directions on the product label

Manufacturer Name Address	Elitepac NZ Limited, 5 Hotunui Drive, Mt Wellington, Auckland, New Zealand
---------------------------	--

Emergency Telephone Number	New Zealand
Monday – Friday 8am-5pm (except holidays)	+64-9-570 0594
Email:	sales@elitepac.co.nz
Outside these hours	0800 764 766

## Section 2: Hazards Identification

Classification		Classified as a dangerous good according to NZS5433: 2007 Class 3 Dangerous Good – Corrosive This substance is hazardous according to the <i>HSNO (Minimum Degrees of Hazard) Regulations 2001</i>
Signal Word	DANGER	HSNO Approval Number: HSR002526 – Cleaning Products (Corrosive) Group Standard 2006
Precautionary Statement	Read the label before use. Avoid release to the environment. Wear eye protection when refilling dispensers.	

HSNO Classification	GHS Category	Signal Word	Hazard Code	Hazard Statement
6.1D Oral	Acutely Toxic	Warning	H302	Harmful if swallowed.
				
6.5A	Respiratory sensitiser	Danger	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
				
8.2B	Dermal Corrosive UN PGIII	Danger	H314	Causes severe skin burns and eye damage.
				
8.3A	Ocular corrosive	Danger	H318	Causes serious eye damage.
				
9.1A	Aquatic toxicity (Very ecotoxic)	Warning	H400	Very toxic to aquatic life.
				
9.3B	Vertebrate Toxicity (Ecotoxic)		H432	Toxic to terrestrial vertebrates.
				

<b>Prevention Code</b>	<b>Prevention Statement</b>
P102	Keep out of the reach of children.

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



P103	Read Label before use.
P211	Do spray on an open flame or other ignition source.
P233	Keep container tightly closed.
P261	Avoid breathing fumes/gas/mist/spray.
P260	Do not breathe dust/fumes/gas/mist/vapour/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing.
P285	In case of inadequate ventilation wear respiratory protection.

Response Code and Statement	Prevention Code Prevention Statement
P101	If medical advice is needed, have product container or label at hand.
P330	Rinse mouth.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a comfortable position for breathing.
P304 + P341	IF INHALED: If breathing is difficult remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTRE or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTRE or doctor/physician).
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use fire extinguisher for extinction
P391	Collect spillage.

Storage Code Storage Statement	Storage Code Storage Statement
P403 + P235	Store in a well-ventilated place. Keep cool.

Disposal Code	Disposal Statement
P501	Avoid release to the environment. Dilute contents before disposing. Triple rinse container with water before disposing. If not practicable, crush or puncture the container and dispose in domestic or trade waste container.

### Section 3: Composition / Information on Ingredients

Ingredients	Wt%	CAS Number
Benzalkonium Chloride (50%)	50%	68424-85-1
Surfactants	<5%	Proprietary Blend
Non-hazardous components	To 100%	Mixture

### Section 4: First Aid Measures

#### Recommended on site emergency facilities:

Ready access to running water is required. Accessible eyewash station is required. Emergency Ready access to shower, hand wash.

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/ attention.
Ingestion	Never give liquid to a person showing signs of reduced awareness or becoming unconscious. Seek medical assistance if needed or contact poisons information Centre.
Inhalation:	Remove to fresh air. Rest in a position comfortable for breathing. If exposed or concerned: Seek medical advice/attention.
General	In case of adverse health effects, seek medical advice. If medical advice is needed, have product container or label at hand. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Specific treatment (see cleansing agent, e.g. non-abrasive soap). Take off contaminated clothing and wash before re-use. If exposed or concerned: Seek medical advice/attention.

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



Equipment at warehouse or bulk handling facility:	Eye wash station and emergency shower facility.
---	---

## Section 5: Fire Fighting Measures

Hazard Type	Corrosive. Non-flammable or combustible.
Hazards from decomposition products	Fumes may be serious eye irritants.
Suitable extinguishing media	Water, foam, CO2, or chemical dry powder to extinguish a local fire. Water spray on large fires only.
Precautions for firefighters and special protective clothing	Standard fire-fighting procedures may be followed, Firefighters wear SCBA and chemical resistant suits. including full protective gear.
HAZCHEM CODE	2R

## Section 6: Accidental Release Measures

Protective Clothing Requirements	Wear protective gloves/eye protection/face protection.
Land Spill or Leaks:	<p><u>Small spills</u> – Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately). Clear area of unprotected personnel. Spills on floors will produce a slippery surface. Shut off, or isolate, all possible sources of ignition. Do not allow any spills, original or diluted, to enter wastewater drains. If material does enter, alert the local drainage authorities. Contain minor (less than 100 litres) from local drainage with any suitable bund or barrier. Where possible dilute with water and contain the resulting solution. Then clean up with mops or any suitable absorbant inert material such as Mineral Sponge, paper, rags, sand or soil. Pack absorbed waste material into drums, which can be closed, for waste disposal.</p> <p><u>Large spills</u> – bund or dyke to prevent run-off. Large spills from drums should be contained from drains and diluted with water where possible. Alert the local Fire Brigade. Collect absorbed material in open-top drums which can be closed and sent to landfill.</p> <p>Dispose of only in accord with all regulations.</p>

## Section 7: Handling and Storage

Approved Handlers:	<p>When present in quantities greater than <b>250 L</b> (when in containers greater than <b>5 L</b>) or <b>500 L</b> (when in containers up to and including <b>5 L</b>), a HSNO 3.1B substance must be—</p> <p>(a) under the personal control of an approved handler who holds a current test certificate to manage HSNO class 3 substances; or</p> <p>(b) secured so that a person cannot gain access to the substance without tools, keys, or any other device used for operating locks.</p> <p>A substance may be handled by a person who is not an approved handler if—</p> <p>(a) the approved handler has provided guidance to the person in respect of the handling; and</p> <p>(b) the approved handler is available at all times to provide assistance, if necessary, to the person while the substance is being handled by the person.</p>
Precautions for safe handling:	<p>Keep out of reach of children.</p> <p>Do not breathe dust/fume/gas/mist/ vapours/spray.</p> <p>Avoid breathing dust/fume/gas/mist/ vapours/spray.</p> <p>Wash hands thoroughly after handling.</p> <p>Do not eat, drink or smoke when using this product.</p> <p>Avoid release to the environment.</p> <p>Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>In case of inadequate ventilation wear respiratory protection.</p> <p>Read the label before use. Avoid release to the environment. Wear eye protection when refilling dispensers.</p>
Conditions for safe storage:	<p>Advisable to segregate from food and feedstuffs.</p> <p>Keep out of direct sunlight.</p> <p>Store in a locked up, well-ventilated place. Keep cool.</p> <p>Store drums and carboys with secure closures. Store in a well-ventilated place. Keep cool. Keep away from heat and ignition sources. Storage in HSNO defined Hazardous Substance Locations and Transit Depots is required for Class 3.1B products where greater than 100 litres is stored in 20 litre carboys and 200 litre drums, and greater than 250 litres is stored in 5 litre jerries. Handle to prevent damage to containers. Should packaging be damaged, repack into clean and dry containers of the same type and mark the product name carefully on the container.</p> <p>Always replace lids and caps after using the product. Return all packages to safe storage as soon as possible after use.</p>

## Section 8: Exposure Controls / Personal Protection

Engineering Controls	Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation. Ethanol: WES TWA 1000 ppm.
Personal Protective Equipment	Wear PVC Apron. protective gloves/eye protection/face protection.

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



Household setting	No special precautions necessary as long as product is used as directed.
Industrial Setting	
Respiratory Protection	Approved respirator for organic vapours when vapor or mist may be generated.
Eye Protection	Goggles or other protective eye wear may be worn for protection.
Skin Protection	Gloves may be worn for protection.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

## Section 9: Physical and Chemical Properties

Physical State	Liquid
Colour	Colourless
Clarity	Clear
Odour	None added/Nondecript smell

pH	Approx. 7.0
Melting Point	No data available
Freezing Point	As for water
Initial Boiling Point and Boiling Range	Approx. >100°C
Flash Point	Not Flammable/No data available

Solubility	Soluble in water
Specific Gravity:	Approx 1.0
Vapour Pressure	No data available
Evaporation Rate	No data available
Viscosity	No data available

## Section 10: Stability and Reactivity

Reactivity	The product is considered stable in normal use.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	None
Incompatibility	Will emulsify with petrochemical oils and liquids. In general, cleaning products should not be mixed with other chemicals, or unless specifically provided for in the use directions.
Hazardous Decomposition Products	None

## Section 11: Toxicological Information

General toxicological information:	No specific data is available for this product. Toxicological data has been evaluated/calculated for the mixture. The product is considered to have the following potential health effects. The evaluation of the product is based on data from the raw material and/or comparable substances. Symptoms or effects that may arise if the product is mishandled and overexposure occurs.
Potential Route(s) of Exposure	Eyes. Skin. Ingestion. Inhalation.
Effects of Acute Exposure	
Acute Oral Toxicity:	Calculations for the mixture comes out at >1354 mg/kg hence no classification required.
Acute Dermal Toxicity:	Calculations for the mixture comes out at >5000 mg/kg hence no classification required.
Inhalation	No Data, May irritate the respiratory tract. May result in nausea, headache and vomiting.
Ingestion:	No Data, Large amounts may cause some central nervous system effects. Possible symptoms include excitation, euphoria, headache, dizziness, drowsiness, blurred vision, loss of consciousness. Other effects may include nausea, vomiting, diarrhea, abdominal pain and chemical burns to the gastrointestinal tract.
Eye Contact:	A severe eye irritant. Contamination of eyes can result in ocular corrosion and permanent injury.
Skin Contact:	Contact with skin will result in irritation and chemical burns.
Sensitization:	Respiratory sensitiser.
In vitro mutagenicity:	No data available.
Chronic Effects	No data available. Not expected to have chronic health effects.
Toxicity Method:	Calculation

## Section 12: Ecological Information

General ecological information:	The ecological evaluation of the product is based on data from the raw material and/or comparable substances.
	General notes:

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



	<ul style="list-style-type: none"> <li>Do not allow undiluted product or large quantities of it to reach groundwater, water bodies or sewage systems.</li> <li>Avoid release to the environment</li> </ul>
Environmental Precautions:	Avoid release to the environment
Environmental Fate:	Will degrade by bacteriological action in soil and water
Environmental Exposure Limits:	None set

## Section 13: Disposal Considerations

Product Waste Considerations	Any disposal must be in compliance with New Zealand laws and regulations. Incineration is the preferred method. A substance must be disposed of by: <ol style="list-style-type: none"> <li>exporting the substance from New Zealand as waste; or</li> <li>treating the substance so that it is no longer a hazardous substance.</li> <li>Avoid release to the environment. Dilute contents 5:1 before disposing. Triple rinse containers before re-use or disposal. If bulk containers are not to be reused, crush or puncture so they cannot contain any other liquid. Safe to discard as domestic or commercial rubbish.</li> </ol>
Empty Packaging	Remove label if applicable and offer empty containers for recycling. Recycle wherever possible or consult manufacturer for recycling options.

## Section 14: Transport Information

NZ Land Transport Rule	Classified as Dangerous Goods for Land Transport in New Zealand Class(es): 8 Label(s): 8
Transport Information	DOT, IMDG, IATA
UN Number:	UN 1903
Dangerous Goods Class:	8
Proper Shipping Name:	PROD Disinfectant liquid corrosive NOS (Benzalkonium chloride)UCT SHIPPING NAME
Marine Pollutant	NO
EmS No.:	F-E, S-D
Packing Group:	II
Transport Notes:	Tank wagons and transportable containers of any capacity used to carry a substance must comply with the Hazardous Substances (Tank Wagons and Transportable Containers) Regulations 2004. Where a motor vehicle is transporting a substance in quantities greater than 250L, there must be 2 fire extinguishers present in or on the vehicle. When a substance is carried on a passenger service vehicle, the substance must— <ol style="list-style-type: none"> <li>be packaged in a sealed container; and</li> <li>not exceed 1L per package.</li> </ol>

## Section 15: Regulatory Information

HSNO Approval Code:	Classified as a hazardous substance according to the HSNO Classification Regulations 2001 - Corrosive
HSNO Controls:	Label or mark containers used to hold this product Do not expose product to any form of ignition source
	Limit and monitor exposure during the use of the product. Make use of suitable equipment for handling the product Wear suitable protective clothing while being used. Limit exposure to the environment Dispose of waste or spilt material only through a recognised expert company

<b>Trigger Quantity</b>	
Location and transit depot test certification	100 L (closed containers greater than 5 L) 250 L (closed containers up to and including 5 L) 50 L (open containers)
Hazardous atmosphere zone	100 L (closed containers) 25 L (decanting) 5 L (open occasionally) 1 L (open containers in continuous use)
Fire extinguishers	250 L
Response plans and secondary containment	100 L (for a HSNO 9.1A substance); or 1,000 L (for all other substances)

# SAFETY DATA SHEET

Issue date : 7/9/2020, According to 91/155



Signage	100 L ( for a HSNO 9.1A substance); or 250 L (for all other substances)
---------	--

## Section 16: Other Information

Prepared By:	Elitepac NZ Ltd
Issuing Date:	September 2006
Version Number	V1
Revision Date:	7/9/2020
Revision Note:	None

1. HSNO Approved Code of Practice: The content and format of this SDS is in accordance with HSNO Approved Code of Practice (No. HSNO COP 8-1 09-06): Preparation of Safety Data Sheets.

### Disclaimer

This document has been compiled by Elitepac NZ Ltd based on information concerning the product which has been provided to Elitepac NZ Ltd by the component manufacturer(s) or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

While Elitepac NZ Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Elitepac Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. Final determination of the suitability of any product is the sole responsibility of the user.

The information herein is given in good faith, but no warranty, express or implied is made. If further information is required, please contact the New Zealand proprietor: Elitepac NZ Ltd. 5 Hotunui Drive, Mt Wellington, Auckland 1060

**- End of Safety Data Sheet -**